

(19)

(11) Publication number: **2001052759 A**

Generated Document.

PATENT ABSTRACTS OF JAPAN(21) Application number: **2000203267**(51) Intl. Cl.: **H01M 10/40 H01M 2/02 H01M 2/04 H01M 2/06 H01M 2/12 H01M 2/26 H01M 2/30 H01M 2/34 H01M 2/36**(22) Application date: **05.07.00**(30) Priority: **08.07.99 FR 99 9908847**(43) Date of application
publication: **23.02.01**(84) Designated contracting
states:(71) Applicant: **ALCATEL**(72) Inventor: **SOULIAC LAURENT
FRADIN JEAN
RIGOBERT GERARD**

(74) Representative:

**(54) SEALED STORAGE
BATTERY HAVING
ALUMINUM TERMINAL**


(57) Abstract:

PROBLEM TO BE SOLVED: To provide a reliable sealed high-capacity storage battery having a substantially cylindrical container, two terminals at two end parts of the substantially cylindrical container, one terminal being small, and high efficiency over the service life period of the battery, including a current collecting device formed of aluminum.

SOLUTION: This cylindrical high-capacity sealed storage battery 1 has a terminal containing aluminum in one end part 2. At least a part of the one end part 2 is located under a cover 8 and is provided with an aluminum cover formed so as to be abutted on an external electric connection component 3 of the battery by a clamp means 15 in cooperation with an outside assembly means 4. The clamp means is formed of a material selected from a group

comprising stainless steel, nickel-plated steel, copper or brass, and the cover of the battery is sealed by a metal sealing cap 14 located under the cover.

COPYRIGHT: (C)2001,JPO



Delphion



RESEARCH

INTEGRATED IAM

SERVICES

INSIDE DELPHION

The Delphion Integrated View


Buy Now: [More choices...](#)Tools: Add to Work File: [Create new Work File](#) View: [INPADOC](#) | Jump to: [Top](#)  Go to: [Derwent...](#) [Email this to a friend](#)Title: **JP2001052759A2: SEALED STORAGE BATTERY HAVING ALUMINUM TERMINAL**Country: **JP Japan**
Kind: **A2 Document Laid open to Public inspection I**Inventor: **SOULIAC LAURENT;
FRADIN JEAN;
RIGOBERT GERARD;**Assignee: **ALCATEL**
[News, Profiles, Stocks and More about this company](#)Published / Filed: **Feb. 23, 2001 / July 5, 2000**Application Number: **JP20002000203267**IPC Code: **H01M 10/40; H01M 2/02; H01M 2/04; H01M 2/06; H01M 2/12;
H01M 2/26; H01M 2/30; H01M 2/34; H01M 2/36;**Priority Number: **July 8, 1999 FR1999000008847**

Abstract:


PROBLEM TO BE SOLVED: To provide a reliable sealed high-capacity storage battery having a substantially cylindrical container, two terminals at two end parts of the substantially cylindrical container, one terminal being small, and high efficiency over the service life period of the battery, including a current collecting device formed of aluminum.

SOLUTION: This cylindrical high-capacity sealed storage battery 1 has a terminal containing aluminum in one end part 2. At least a part of the one end part 2 is located under a cover 8 and is provided with an aluminum cover formed so as to be abutted on an external electric connection component 3 of the battery by a clamp means 15 in cooperation with an outside assembly means 4. The clamp means is formed of a material selected from a group comprising stainless steel, nickel-plated steel, copper or brass, and the cover of the battery is sealed by a metal sealing cap 14 located under the cover.

COPYRIGHT: (C)2001,JPO

Designated Country: **DE FR GB**Family: [Show 6 known family members](#)Other Abstract Info: **CHEMABS 134(08)103233T DERABS G2001-125761**[View Image](#)

1 page

[this for the Gallery...](#)[Nominate](#)

